



Pengu Cocoa Mug Rug








Finished size: 7" x 8½"





Designer: Sondrasa



No. F04



Fabric Requirements

Coffee Cup		
Cup (C1)		5" x 5"
Handle (C5)		2" x 3"
Coffee (C6)		1" x 4"
Mug Trim (C2, C4)		2" x 4"
Mug Center (C3)		3" x 4"
Marshmallow (D)		1" x 3"
Steam & Napkin (B, E)		2½" x 2½"

Pengu		
Body (A4, A5, A8, A9, A10)		3" x 4"
Belly (A1)		3" x 4"
Marshmallow (A6)		1" x 1"
Bill & Flippers (A2, A3, A7)		2" x 2"

Miscellaneous		
Background Wall		6½" x 7½"
Background Counter		2½" x 7½"
Backing		10" x 10"
Binding		¼ yard

Other materials

- Batting
- Iron on fusible webbing
- Iron
- Thread
- Silicone mat
- Light box
- Sharpie pen

Before Starting

1. Read through all instructions before you begin
2. All seams are sewn $\frac{1}{4}$ ", unless otherwise stated
3. If there are any errors or issues you come across, please feel free to reach out to us at ArtQuiltsbyDesign@gmail.com
4. Visit www.ArtQuiltsbyDesign.com for any updates to the pattern or scan the QR code

Terms to Know

WS - Wrong side of fabric

RS - Right side of fabric

WOF - Width of Fabric, traditionally 42"



Instructions

Background

1. Iron and prep your fabric
2. Cut your fabric to measurements specified in fabric requirement charts (you will trim at the end)
3. attach Background Wall to Background Counter along the width of fabric
4. Press seam towards the darker fabric
5. Set aside until ready to apply applique shapes

Applique

All applique shapes have been already reversed for ease

1. Trace the included applique shapes onto fusible webbing using a Sharpie pen & light box (if available)
2. Cut traced shapes, leaving $\frac{1}{4}$ " of paper bordering the shape see Figure 1
3. With WS of fabric up, iron traced shapes to corresponding fabrics, according to the instructions found on your specific fusible webbing

Note: There are many different ways to applique fabric. For this project we have chosen to use the Raw Edge applique method.




Figure 1

Instructions

Applique cont.



Figure 2



4. Cut fused shapes out along the traced line
5. Using a heat proof, clear silicone mat that is laid over the Applique Layout Guide:
 - a. Peel paper backing from shapes
 - b. Place them on mat according to Applique Layout Guide and place in corresponding spot see Figure 2
 - c. Iron very briefly, just to adhere shapes together (2-3 seconds) and let cool completely
6. Peel pressed fabric gently (do not worry if some pieces do not stay together, you can re-place them before final iron)
7. Lay form over background fabric, using Applique Layout Guide
8. Press a clean iron over shapes according to fusible webbing's specific instructions see Figure 2
9. Sew fabric down using your preferred method (we chose to do a satin stitch around all edges because this will be washed if dirty)

Quilting

1. Layer backing (WS up), batting & applique panel (RS up)
2. Pin baste all layers together
3. Quilt using your preferred method and style
4. Trim finished panel to 7" x 8½"

Last Bits

1. Make & attach binding using your favorite method
2. Don't forget to add a label!

For more detailed instructions on finishing your quilt check out www.ArtQuiltsbyDesign.com

Share with us!

We love seeing everyone's interpretation of our designs!

Tag us on Instagram:

[@sondrasasews](https://www.instagram.com/sondrasasews)

Or use #ArtQuiltsbyDesign
#PenguCocoa



Tutorials & Videos

Watch us on YouTube for tutorials & other creative quilting fun




Art Quilts by Design

About the Designer

Sondrasa is a quirky quilter who enjoys nerding out on all things fabric. She can regularly be found live streaming her quilting shenanigans over on [Twitch.tv/sondrasa](https://www.twitch.tv/sondrasa)

To see more of her work & other AQD designs visit
www.ArtQuiltsbyDesign.com



Pengu Cocoa Applique Parts

*images have
been reversed

Pengu Cocoa Applique Layout Guide

